Safety Data Sheet

Issue Date 09-Apr-2014 Revision Date 09-Oct-2019 Version: 3

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name Agroblen Total 18-0-18+2MgO

Product Code: 50250325GB

Synonyms: Agroblen Total 18-0-14.9+1.2Mg

Pure substance/mixture Mixture.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Fertilizer (PC12). Restricted to professional users.

Uses Advised Against: Consumer use [SU 21].

1.3. Details of the supplier of the safety data sheet

Everris International B.V.Nijverheidsweg 1-5; 6422 PD Heerlen (NL); Tel: +31 (0)45-5609100; Fax: +31 (0)45-5609190.

For further information, please contact: INFO-MSDS@EVERRIS.COM.

1.4. Emergency telephone number: IN CASE OF AN EMERGENCY CALL: +44 1235 239 670 (24h).

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Mixture

Regulation (EC) No 1272/2008 (CLP)

Eye Irritation Category 1 - (H318)

2.2. Label elements



Signal Word: Danger

Hazard Statements:

H318 - Causes serious eye damage

Contains Potassium sulphate; K2SO4

Precautionary Statements:

P280 - Wear eye protection/ face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

Other hazards (UN-GHS)

H316 - Causes mild skin irritation

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Chemical Name	EC-No.	CAS No	Weight %	Classification according Regulation (EC) 1272/2008 [CLP]	REACH registration number
Urea	200-315-5	57-13-6	40 - 65%	Not classified	01-2119463277-33
Potassium sulphate; K ₂ SO ₄	231-915-5	7778-80-5	25 - 40%	Eye Dam. 1 (H318)	01-2119489441-34
Sulphur; S	231-722-6	7704-34-9	5 - 10%	Skin Irrit. 2 (H315)	01-2119487295-27

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General Advice: First aid measures should be executed by trained personnel only.

In case of shortness of breath, give oxygen. Possible symptoms are coughing and/or

dyspnoea. Move to fresh air. If symptoms persist, call a physician.

Skin Contact: If a person feels unwell or symptoms of skin irritation appear, consult a physician.

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists,

consult a specialist.

Ingestion: Do not induce vomiting without medical advice. If a person vomits when lying on his back,

place him in the recovery position. Never give anything by mouth to an unconscious person. In case of respiratory difficulties practice oxygenotherapy. Possible symptoms are nausea

and/or vommiting.

4.2. Most important symptoms and effects, both acute and delayed

None under normal processing

4.3. Indication of any immediate medical attention and special treatment needed

None under normal processing.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

<u>Suitable Extinguishing Media:</u>
Coordinate fire extinguishing measures to fire in surrounding area. Use dry chemical, CO2, water spray or "alcohol" foam.

Unsuitable Extinguishing Media: High volume water jet.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

5.3. Advice for firefighters

Use extinguishing agent suitable for type of surrounding fire. In the event of fire and/or explosion do not breathe fumes. Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions: Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

Wear personal protective equipment.

For Emergency Responders: Use personal protection recommended in Section 8.

6.2. Environmental precautions

Prevent product from entering drains. Do not contaminate surface water.

Revision Date 09-Oct-2019

6.3. Methods and material for containment and cleaning up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleanup: Shovel or sweep up. Do not create a powder cloud by using a brush or compressed air.

Prevent product from entering drains. Sweep particles from driveways, curbs, etc.

immediately following application, to prevent staining of concrete, metal and woodsurfaces.

Keep away from swimmingpools.

6.4. Reference to other sections

§ 8, 12, 13.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

General hygiene considerations:

Handle in accordance with good industrial hygiene and safety practice. Use personal protection recommended in Section 8. When using, do not eat, drink or smoke.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures/storage conditions:

Keep away from heat and sources of ignition. Keep away from food, drink and animal feeding stuffs. For quality reasons: Keep out of reach of direct sunlight, store under dry conditions, partly used packaging should be closed well. Keep at temperatures between 0 °C and 40 °C.

Packaging Materials:

Store in original container. Store in a closed container.

LGK (Germany)

13

7.3. Specific end use(s)

Specific use(s)
Exposure scenario

Fertilizer; www.everris.com; Read and follow label instructions

Mixture. Not required.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Urea Control of the C				
Bulgaria - OEL- TWAs	10.0 mg/m³ TWA			
Latvia - OEL - TWAs	10 mg/m³ TWA			
Potassium sulphate; K ₂ SO ₄				
Bulgaria - OEL- TWAs	10.0 mg/m ³ TWA			
Latvia - OEL - TWAs	10 mg/m³ TWA			
Sulphur; S				
Latvia - OEL - TWAs	6 mg/m³ TWA			
Russia TWA	6 mg/m³ TWA 1863			

Derived No Effect Level (DNEL)

Component	Oral	Dermal	Inhalation
Urea		580 mg/kg bw/day	292 mg/m ³
57-13-6 (40 - 65%)			-
Potassium sulphate; K ₂ SO ₄		21.3 mg/kg bw/day	37.6 mg/m ³
7778-80-5 (25 - 40%)			_

Predicted No Effect Concentration (PNEC)

No data available

Component	Fresh Water	Freshwater sediment	Sea Water	Sea sediment	Soil	Impact on Sewage Treatment
Urea 57-13-6 (40 - 65%)	0.47 mg/l		0.047 mg/l			
Potassium sulphate; K ₂ SO ₄ 7778-80-5 (25 - 40%)	0.68 mg/l		0.068 mg/l			10 mg/l

8.2. Exposure controls

Personal protective equipment

Eye/Face Protection Wear eye/face protection

Hand protection Gloves. Nitrile rubber (0.26 mm). Break through time. > 8 h.

Respiratory Protection Not required; except in case of aerosol formation. In case of mist, spray or aerosol

exposure wear suitable personal respiratory protection and protective suit

Skin and body protection: Lightweight protective clothing

Hygiene Measures: Follow good housekeeping practices. When using, do not eat, drink or smoke. Keep away

from food, drink and animal feeding stuffs.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State: Solid
Appearance: Granules

Color: brown, orange, grey.

Odor: None

Bulk density: 850 - 1050 kg/m³ **Melting Point/Freezing Point:** No data available **Boiling Point/Range:** Solid. Not applicable. Flash Point: Solid. Not applicable. Solid. Not applicable. **Evaporation Rate:** Flammability (solid, gas): Not flammable **Vapor Pressure:** Solid. Not applicable. Vapour density Solid. Not applicable. Relative density No data available Water Solubility: No data available Solubility(ies) No data available **Partition Coefficient:** Solid. Not applicable. No data available **Autoignition Temperature: Decomposition temperature:** No data available

Explosive Properties:Doesn't present explosion hazard.

9.2. Other information

VOC Content (%): Solid. Not applicable.

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not reactive.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

10.4. Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

10.5. Incompatible materials

Keep away from catalysts like derivates of hexavalent chromium and metal halides. Keep away from flammable products (fuels) like charcoal, wood, flour, soot etc.

10.6. Hazardous decomposition products

None under normal processing. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Information on the Likely Routes of Exposure (inhalation, ingestion, skin and eye contact):

Inhalation Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact May cause slight irritation.

Skin Contact May cause irritation.

Ingestion May cause gastrointestinal discomfort if consumed in large amounts.

Information on Toxicological Effects

None known **Acute Toxicity**

The following values are calculated based on chapter 3.1 of the GHS document:

ATEmix (oral): 18,441.00 mg/kg

Unknown Acute Toxicity: 0% of the mixture consists of ingredient(s) of unknown toxicity.

Potassium sulphate; K2SO4 (7778-80-5)

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Urea	= 8471 mg/kg (Rat)		
Potassium sulphate; K ₂ SO ₄	= 6600 mg/kg (Rat)	> 2000 mg/kg (Rat)	N.E.
Sulphur; S	> 3000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 9.23 mg/L (Rat) 4 h

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-Term Exposure:

If this product is a mixture, the classification is not based on toxicology studies for this product, but is based solely on toxicology studies for ingredients found within this product. More detailed substance and/or ingredient information may be provided in the other sections of this SDS

Serious eye damage/eye irritation Classification based on individual ingredients of the mixture.

Respiratory or skin sensitization Classification based on individual ingredients of the mixture.

Germ Cell Mutagenicity Classification based on individual ingredients of the mixture.

Carcinogenicity Classification based on individual ingredients of the mixture.

Reproductive Toxicity Classification based on individual ingredients of the mixture.

STOT - Single Exposure Classification based on individual ingredients of the mixture.

STOT - Repeated Exposure Classification based on individual ingredients of the mixture.

Aspiration Hazard Classification based on individual ingredients of the mixture.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecotoxicity

Unknown Aquatic Toxicity

Should not be released into the environment 7% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			Microorganisms	
Urea	> 10000: 192 h	16200 - 18300: 96 h	-	3910: 48 h Daphnia
	Scenedesmus	Poecilia reticulata mg/L		magna mg/L EC50 Static
	quadricauda mg/L EC50	LC50		10000: 24 h Daphnia

				magna Straus mg/L EC50
Potassium sulphate; K ₂ SO ₄	2900: 72 h Desmodesmus subspicatus mg/L EC50	653: 96 h Lepomis macrochirus mg/L LC50 3550: 96 h Lepomis macrochirus mg/L LC50 static 510 - 880: 96 h Pimephales promelas mg/L LC50 static	-	890: 48 h Daphnia magna mg/L EC50
Sulphur; S	-	866: 96 h Brachydanio rerio mg/L LC50 static 14: 96 h Lepomis macrochirus mg/L LC50 static 180: 96 h Oncorhynchus mykiss mg/L LC50 static	-	<u>-</u>

12.2. Persistence and degradability

Persistence and Degradability: No persistent or cumulative effects were observed.

12.3. Bioaccumulative potential

Bioaccumulation: Does not bioaccumulate.

Chemical Name	LOGPOW
Urea	-1.59

12.4. Mobility in soilNo data available.12.5. PBT and vPvB assessmentNo data available.12.6. Other adverse effectsNo data available.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Disposal of Wastes: Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging: Do not reuse container.

Other Information Use up product completely. Packaging material is industrial waste.

Section 14: TRANSPORT INFORMATION

Not regulated

Not regulated

IMO / IMDG

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3 Hazard Class:

14.4

Packing group:

Marine Pollutant: Not regulated

viai ii

14.6 Special Provisions None

14.7

Bulk transport according Annex II of MARPOL and IBC Code No data available

ADR/RID

14.1

UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

14.4

Packing group: Not regulated

<u>14.5</u>

Environmental Hazard Not regulated

<u>14.6</u>

Special Provisions None

IATA

14.1 UN-No: Not regulated

14.2

Proper shipping name: Not regulated

14.3

Hazard Class: Not regulated

<u>14.4</u>

Packing group: Not regulated

<u>14.5</u>

Environmental Hazard Not regulated

14.6

Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Belgium

Denmark

Denmark No data available

France

ICPE Not regulated

Germany

LGK (Germany) 13

Water Endangering Class (WGK): 1 (Everris classification)

Gefahrstoffverordnung (Germany) TRGS 511 Not regulated

Component	German WGK Section
Urea	1
57-13-6 (40 - 65%)	
Potassium sulphate; K ₂ SO ₄	1
7778-80-5 (25 - 40%)	
Sulphur; S	class 1
7704-34-9 (5 - 10%)	

15.2 Chemical safety assessment

Substance(s) usage is covered according to Reach regulation 1907/2006

Take note of Dir. 98/24/EC on the protection of the health and safety of workers from risks related to chemical agents at work

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

- H315 Causes skin irritation
- H318 Causes serious eye damage
- H316 Causes mild skin irritation

Key or legend to abbreviations and acronyms used in the safety data sheet

RID: Regulations Concerning the International Transport of Dangerous Goods by Rail

ICAO: International Civil Aviation Organization

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labeling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PNEC: Predicted No Effect Concentration

DNEL: Derived No-Effect Level

REACh: Registration, Evaluation, Authorization of Chemicals CLP: EU-GHS; Classification, Labelling and Packaging

OEL: Occupational Exposure Limit TWA: Time Weighted Average ATE: Acute Toxicity Estimate

EUH phrase: CLP (EU) specific hazard statement

LD50: Lethal dose, 50%.

LC50: Lethal concentration, 50%. SVHC: Substance of Very High Concern.

Classification procedure

· Calculation method

• Expert judgment and weight of evidence determination

Key literature references and sources for data

According to EC Regulation 1907/2006 (Reach), Regulation EU No. 2015/830. Regulation (EC) No 1272/2008 (CLP).

Prepared by

Regulatory Affairs Department (INFO-MSDS@EVERRIS.COM)

Issue Date

09-Apr-2014

Restrictions on use

Restricted to professional users

*** Indicates changes since the last revision. This version replaces all previous versions

Reason for revision

This information contained herein is, to the best of Everris' knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and Everris shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, Everris shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.